

## HUSK

### Specifications

Collection(s)	Husk, Warwick Naturally
Colour(s)	Abyss, Agave, Amalfi, Apple, Army, Ash, Atoll, Barley, Camel, Cement, Celadon, Cloud*, Clove, Coffee, Donkey, Driftwood*, Dust, Graphite, Ice, Imperial, Kingfisher, Lemon, Lilac, Limestone, Linen*, Malt, Marble, Molasses, Musk, Nutmeg, Oasis, Ocean, Olive, Onyx*, Orchid, Papaya, Peach, Peat, Pewter, Polo, Powder, Regal, Rosso, Ruby, Russett, Saffron, Sand, Smoke, Splice, Steel, Toffee, Voyage, Wattle, Wheat
Warwick Brand	-
Usage	Drapery / Heavy Dom / Gen Comm
Composition	37% Viscose 24% Polyester 21% Cotton 18% Linen
Pattern match	No
Pattern repeat (cm)	Plain
Railroaded	No
Continuous	No
Lead weighted	No
Width (cm)	144
Weight (gsm)	397
Origin	EU
Stain Repellent	No
FIAA Care Label*	3
WCAA Care Label*	3

\*Please refer to Warwick Price List or Website [www.warwick.co.nz](http://www.warwick.co.nz)

### Test Results

Abrasion Martindale (ISO 12947, 12kPa)	20000-40000 Cycles
Seam slippage (mm) (ISO 13936-2, Load 180)	Warp 3.90, Weft 4.10
Pilling resistance (ISO 12945-2)	5
Colourfastness to light Xenon arc (ISO 105-B02, blue std 6)	6
Colourfastness to rubbing (ISO 105-X12)	Dry 5, Wet 3
Dimension change - laundering (%) (ISO 5077/ISO 6330. 7BA)	Warp -3.00, Weft -3.90
Dimension change - hanging (%) (AS2663.1.B)	Warp 0.4, Weft 0.4
Free and Hydrolysed formaldehyde (ISO 14184-1:1998)	Not Detectable
Flammability AS/NZS 1530.2-1993 Flamability Index (0 - 100)	-
Spread Factor (0 - 40)	Length -, Width -
Heat Factor (0 - upward)	Length -, Width -
Flammability AS/NZS 1530.3-1999 Ignitability (0 - 20)	13
Spread of flame (0 - 10)	0
Heat evolved (0 - 10)	2
Smoke developed (0 - 10)	4

