

## AUGUSTUS

### Specifications

Collection(s)	Augustus, Richmond
Colour(s)	Agean Amazon Armour Birch Brown Cedar Chili Denim Dew, Earth Ebony Ecrú Eggplant Emperor Fuchsia Fudge Flint Glacier Grey Ink Ladybird Lagoon Lavender Lime Linen Marmalade Marshmallow Midnight Ocean Olive Pacific Pimpernel Porcelain Pumice Reef Seaglass Sunshine Thistle Tumeric Tuscany Willow Wisp Wolf Zinc
Warwick Brand	
Usage	Drapery / Heavy Commercial
Composition	70% Wool 25% Polyamide 5% Acrylic
Pattern match	No
Pattern repeat (cm)	Plain
Railroaded	No
Continuous	No
Lead weighted	No
Width (cm)	150
Weight (gsm)	600
Origin	EU
Stain Repellent	No
FIAA Care Label*	3
WCAA Care Label*	2

\*Please refer to Warwick Price List  
or Website [www.warwick.co.nz](http://www.warwick.co.nz)

### Test Results

Abrasion Martindale (ISO 12947, 12kPa)	95,000 Cycles
Seam slippage (ISO 13936-2, Load 180)	Warp 3.3, Weft 2.9
Pilling resistance (ISO 12945-2)	5
Colourfastness to light Xenon arc (ISO 105-B02, blue std 5)	→6
Colourfastness to rubbing (ISO 105-X12)	Dry 5, Wet 4/5
Dimension change - laundering (ISO 5077/ISO 6330, 7BA)	Warp -1.4, Weft -4.8
Dimension change - hanging (AS2663.1.B)	Warp 0.2, Weft 0.1
Free and Hydrolysed formaldehyde (ISO 14184-1:1998)	Not Detectable
Flammability AS/NZS 1530.2	
Flamability Index (0 - 100)	-
Spread Factor (0-40)	-
Heat Factor (0-upward)	-
Flammability AS/NZS 1530.3	
Ignitability (0-20)	7
Spread of flame (0-10)	0
Heat evolved (0-10)	0
Smoke developed (0-10)	3